



Calcitonin Gene Related Peptides (CGRP) inhibitors PA Criteria

- AIMOVIG[™](erenumab-aooe)
- AJOVY™ (fremanezumab-vfrm)
- EMGALITY™ (galcanezumab-gnlm)

AIMOVIG, AJOVY and EMGALITY impact calcitonin gene-related peptides, which have been observed to increase during a migraine. These drugs are indicated for the *preventive* treatment of migraine.

Emgality 300mg is indicated for the treatment of episodic cluster headache in adults.

<u>Denial Criteria for any of the CGRP inhibitors:</u> Medication will not be used in combination with another (CGRP) inhibitor

- Medication will not be used within 12 weeks of date of last Botox® administration
- No history of myocardial infarction, stroke, unstable angina, and coronary bypass surgery or other revascularization procedures within the past 12 months, vascular ischemia, deep vein thrombosis, pulmonary embolism or thrombotic events
- Currently pregnant or nursing
- Medication Overuse Headache, Hemiplegic Migraine or Tension-Type Headache

CGRP use for Acute or Chronic Migraine

Must be prescribed by a neurologist or a primary care physician. All other
prescribers must consult with a neurologist prior to submission of a prior
authorization request.

Required Medical Information:

- Diagnosis of Episodic or Chronic Migraine
- Chart notes (documentation required upon request)
- Previous therapies tried/failed

Initial Authorization-Episodic or Chronic migraine: select product requested

- □ Aimovig 70mg/1ml subcutaneous once monthly
- □ Aimovig 140mg/2ml subcutaneously once monthly (2 consecutive 70 mg-SC injections)

□ Ajovy 225mg/1.5ml subcutaneously once monthly					
Ajovy 675mg/4.5ml subcutaneously once quarterly (3 consecutive MISSISSIPPI DIVISION MEDICAL)					
□ Emgality 240 mg/1ml subcutaneously once as loading dose* (2 coinjections) followed by Emgality 120 mg subcutaneously once monthly	_				
* Please document date of first administered dose in prescriber's office medication.	e of requested				
A. Episodic Migraine					
1. <u>Initial Authorization</u> : 12 weeks					
 Patient must be within the age range as recommended by the AND 	e FDA label				
□ Documentation of at least 4 to 14 migraine days per month, be headaches per month <i>AND</i>	ut no more than 14				
□ Documented failure to a consecutive 8-week trial as evidence claims, <i>OR</i> intolerance <i>OR</i> contraindication, of at least ONE there of the following different therapeutic classes:					
(a) Antidepressants: amitriptyline or venlafaxine(b) Antiepileptics: divalproex sodium, sodium valproate,(c) Beta-blockers: metoprolol, propranolol, timolol, aten	-				
B. <u>Chronic Migraine</u>					
1. <u>Initial Authorization:</u> 12 weeks					
$\hfill\Box$ Patient must be within the age range as recommended by the \emph{AND}	FDA label				
□ Documentation of greater than or equal to 15 headache days pat least 8 must be migraine days for at least 3 months. <i>AND</i>	per month, of which				
\Box Documented failure to a consecutive 8-week trial as evidence claims for drugs " a - d " below, or a 12-week trial for "e", onabotu documented by physician attestation and/ or paid medical claim OR contraindication of at least ONE therapy, from any TWO of different therapeutic classes:	linumtoxinA, as ms <i>OR</i> intolerance				

- (a) Antidepressants: amitriptyline or venlafaxine
- (b) Antiepileptics: divalproex sodium, valproate sodium, or topiramate
- (c) Beta-blockers: metoprolol, propranolol, timolol, atenolol, nadolol,
- (d) Botulinum Toxin serotype A: specifically onabotulinumtoxinA (Botox®)



Reauthorization for Episodic or Chronic Migraine: 12 months

Select	product	t requested:
--------	---------	--------------

□ Aimovig 70mg subcutaneous once monthly
\Box Aimovig 140mg subcutaneously once monthly (2 consecutive injections of 70mg)
□ Ajovy 225mg subcutaneously once monthly
\Box Ajovy 675mg subcutaneously once quarterly (3 consecutive injections of 225 mg)
□ Emgality 120 mg subcutaneously once monthly

Reauthorization will be based on the following criteria:

□ Positive response to therapy demonstrated by a reduction in frequency or severity of
migraines [documentation required]; AND

□ Patient has an overall improvement in function with therapy; *AND*

 $\hfill\Box$ Verified pharmacy prescription claims history of Aimovig, Ajovy or Emgality and demonstrated adherence to monthly or quarterly fills per FDA approved dosing.

0

C. Episodic Cluster Headache

Select product requested:

 \square Emgality 300 mg subcutaneously once quarterly (3 consecutive injections of 100 mg)

Required Medical Information:

- Diagnosis of Episodic Cluster Headache
- Chart notes (documentation required upon request)
- Previous therapies tried/failed

Initial Authorization: Episodic Cluster Headache



Emgality 300 mg* (3 consecutive injections of 100 mg) at the onset of the cluster period, and then monthly until the end of the cluster period

		document date of first administered dose in prescriber's office of ed medication.
1.	Episodic C	luster Headaches -Initial Therapy (Emgality only: 12 weeks)
	□ Yes □ No <i>AND</i>	Patient must be within the age range as recommended by the FDA label;
	□ Yes □ No <i>AND</i>	Diagnosis of episodic cluster headaches;
		At least 2 cluster periods lasting from 7 days to ≤ 1 year each and by pain-free remission periods of ≥ 3 months;
	□ Yes □ No specialist; <i>AND</i>	Prescribed by or in consultation with a neurologist or headache
		Failure of verapamil at a dose of 360 mg per day, unless contraindicated significant adverse effects are experienced;
		Emgality is not prescribed concurrently with other injectable CGRP or inhibitors;
		Dose does not exceed 300 mg once monthly.
_		ster Headaches Reauthorization (Emgality only: up to a total of 12 per cluster period)
		Positive response to therapy demonstrated by a reduction in cluster ttack frequency;
		Must meet one of the following:
	a.	Patient has not received more than 12 months of consecutive treatment; OR
	b.	It has been at least 3 months since the patient last received Emgality;
	AND	
an		Emgality is not prescribed concurrently with other injectable CGRP tagonists or inhibitors;
		ose does not exceed 300 mg once monthly.

